Q.P. Code: 23178

[Time: Three Hours] Marks:80 Please check whether you have got the right question paper. N.B: 1. Question.No.1 is compulsory. 2. Attempt any three from the remaining six questions. 3. Figures to the right indicate full marks. Lind tha a) If the Laplace transform of sin²3t Q.120 b) Prove that $f(z) = \log z$ is analytic c) Obtain Fourier series for $f(x) = x^2$ in (-2,2) d) Find the Z-Transform of $\cos 2k$, $k \ge 0$ a) Prove that $\overline{F} = 2xyz^3i + x^2z^3j + 3x^2yz^2k$ is irrotational. Q.2 06 Find Scalar potential for \overline{F} b) Find the inverse Laplace Transform using Convolution theorem 06 $\frac{1}{(s^2+6s+18)^2}$ c) Find Fourier Series of $f(x) = \frac{\pi - x}{2}$ in $(0, 2\pi)$. 08 Hence deduce that $\frac{\pi}{4} = 1 - \frac{1}{3} + \frac{1}{5} + - - - -$. Q.3 a) Find the Analytic function f(z) = u + iv if $u + v = \cos x \cosh y - \sin x \sinh y$ 06 b) Find Inverse Z transform of $\frac{2z^2-10z+13}{(z-3)^2(z-2)}$, 2 < |z| < 306 c) Solve the Differential Equation $\frac{d^2y}{dt^2} + 2\frac{dy}{dx}y = 3te^{-1}$, y(0) = 4, y'(0) = 2 using 08 24 +2 dy +4 = 31e, Laplace Transform Q.4 a) Find the Orthogonal Trajectory of $x^2 + y^2 - 3xy + 2y = c$ 06 b) Using Greens theorem evaluate $\int_{C} (x^{2} - y) dx + (2y^{2} + x) dy$, C is closed path formed 06 by y = 4, $y = x^2$

Page 1 of 2

Q.P. Code: 23178

- c) Express the function $f(x) = \begin{cases} \sin x ; 0 < X \le \pi \\ 0 ; X > \pi \end{cases}$ as Fourier Integral. Hence evaluate $\int_0^\infty \frac{\cos(\lambda^{\pi}/2)}{1-\lambda^2} d\lambda$
- Q.5 a) Find Inverse Laplace Transform of $\frac{2s^2-6s+5}{s^3-6s^2+11s-6}$
 - b) Find the Bilinear Transformation that maps the points z = 1, i, -1 into w = i, 0, -i
 - c) Evaluate using Stoke's theorem $\int_c \overline{F} \cdot d\overline{r}$ where c is the boundary of the circle $x^2 + y^2 + z^2 = 1$, z = 0 and $\overline{F} = yzi + zxj + xyk$
- Q.6 a) Find the Directional derivative of $\emptyset = x^2 + y^2 + z^2$ in the direction of the line $\frac{x}{3} = \frac{y}{4} = \frac{z}{5}$ at (1,2,3)
 - b) Find complex form of Fourier series for e^{ax} ; $(-\pi, \pi)$
 - c) Find Half Range sine Series for f(x) = x(2-x) 0 < x < 2 hence deduce that $\sum \left(\frac{1}{n^2}\right) = \frac{\pi^6}{945}$
