T. E. (Sim III) (B.G.S. 28/5/15-DMBI (I.T.) QP Code: 5178

(3 Hours)

[Total Marks: 80]

N.B.: (1) Question No. 1 is compulsory.

(2) Answer any three out of the remaining questions.

- Q1. [a] Describe the different types of attributes one may come across in a data mining data set with two examples of each type. [05]
- [b] Explain the different distance measures that can be used to compute distances between two clusters. [05]
- [c] Define "Business Intelligence" and Decision Support System", with examples. [05]
- [d] Define "Outlier". What are the different types of Outliers that occur in a dataset? [05]
- Q2. [a] Consider the following data points: 13, 15, 16, 16, 19, 20, 20, 21, 22, 22, 25, 25, 25, 30, 33, 33, 35, 35, 35, 35, 36, 40, 45,46, 52, 70.
 - (a) What is the mean of the data? What is the median?
 - (b) What is the mode of the data?
 - (c) What is the midrange of the data?
 - (d) Can you find (roughly) the first quartile (Q1) and the third quartile (Q3) of the data?
 - (e) Show a boxplot of the data.

[10]

[b] Design a BI system for fraud detection. Describe all the steps from Data collection to Decision Making clearly [10]

Q 3. [a]

Id	Homeowner	Status	Income	Defaulted	
1	Yes	Employed	Frigh	No	
2	No	Business	Average	No	
3	No	Employed	Low	No	
4	Yes	Business	High	No	
5	No So	Unemployed	Average	Yes	
6	No	Business	Low	No	
7	Yes	Unemployed	High	No	
8	No	Employed	Average	Yes	
9		Business	Low	No	
10	No	Employed	Average	Yes	

Illustrate any one classification technique for the above data set. Show how we can classify a new tuple, with (Homeowner = Yes; Status = Employed; Income = Average). [10]

[TURN OVER

¿P-Con.: 11036-15.

QP Code: 5178

[b] Why is Data Preprocessing required? Explain the different steps involved in Data Preprocessing. [10]

Q 4. [a] Use K-means to cluster the following data set into 3 clusters.

[10]

Protein	20	21	15	22	20	25	26	20	18	20
Fat	9	9	7	17	8	12	14	9	9	9

[b] Describe the different visualization techniques that can be used in data Mining. [10]

Q.5 [a] Consider the following transaction database:

TID	Items
01	A, B, C, D
02	A, B, C, D, E, C
03	A, C, G, H, K
04	B, C, D, E, K
05	D, E, F, H, L
06	A, B, C, D, L
07	B, I, E, K, L
08	A, B, D, E, K
09	A, E, F, H, L
10	B, C, D, F

Apply the **Apriori** algorithm with minimum support of 30% and minimum confidence of 70%, and find all the association rules in the data set. [10]

[b] Explain different methods that can be used to evaluate and compare the accuracy of different classification algorithms. [10]


Q 6. Explain in brief:

[a] DBSCAN clustering algorithm with an example

[10]

[b] Multilevel and Multidimensional Association rules

[10]



JP-Con.: 11036-15.