

- N.B:**
- (1) Question No. 1 is compulsory.
 - (2) Attempt any three questions out of the remaining five questions.
 - (3) Figures to the right indicate full marks.
 - (4) Make suitable assumptions wherever necessary.

- Q.1**
- (a) Compare linear and non-linear data structures. [05]
 - (b) Explain the advantage of circular queue over linear queue. Write a function in C language to insert an element in circular queue. [05]
 - (c) Define binary search tree. Discuss the case of deletion of a node in binary search tree if node has both the children. [05]
 - (d) Write a C function to search a node in doubly linked-list. [05]
- Q.2**
- (a) Construct AVL tree for the following sequence:
67,34,90,22,45,11,2,78,37,122 [10]
 - (b) Write algorithm for postfix evaluation. Demonstrate the same step by step for the expression: $9 \ 6 \ 7 * \ 2 \ / \ -$ [10]
- Q.3**
- (a) Write a program to perform following operations on a circular linked list:
i) insert a node from the end of the list, ii) delete first node,
iii) count the number of nodes with even values, iv) display the list. [10]
 - (b) Write a C program to simulate linear queue as linked list. [10]
- Q.4**
- (a) Construct Huffman tree and find the Huffman codes for each symbol given below with frequency of occurrence: [10]
- | Symbol | p | g | e | r | i |
|-----------|----|----|----|----|----|
| Frequency | 20 | 17 | 33 | 25 | 40 |
- (b) Explain the various ways to represent graph in the memory with example. [05]
 - (c) Construct binary search tree from given traversal sequences: [05]
- | In-order traversal | D | E | B | A | C | F | G | I | H | J |
|---------------------|---|---|---|---|---|---|---|---|---|---|
| Pre-order traversal | F | E | D | C | B | A | G | H | I | J |
- Q.5**
- (a) Apply linear probing to hash the following values in a hash table of size 11 and find the number of collisions: 67,44,90,12,83,52,23,87,79. [10]
 - (b) Define topological sorting. Perform topological sorting for the following graph: [10]
- ```

graph TD
 A((A)) --> B((B))
 A((A)) --> D((D))
 C((C)) --> D((D))
 B((B)) --> E((E))

```
- Q.6**
- (a) Construct a B tree of order 3 by inserting the following given elements as: [10]  
77,97,75,64,53,14,26,49,82,59.  
Show the B tree at each step of insertion.
  - (b) Write a function in C for DFS traversal of graph. Explain DFS graph traversal with suitable example. [10]